

Optional extras for the C-Class Estate

National Package

Not for Greece

National Standard

National Standard TAXI

Delta to NST

● available at extra charge ○ available at no extra charge ◐ annotations existing
\$ standard equipment - not available

Visibility Level C, R, W
Not Relevant for GR = -

CT

T-Mod

dell

100

[illegible][illegible]

Optional extras for the C-Class Estate

National Standard TAXI

Delta to NST

● available at extra charge ○ available at no extra charge U annotations existing
S standard equipment - not available

Visibility Level C, R, W
Not Relevant for GR = -

T-Modell

| | |
|---------|------------------------------|
| 205.237 | C 200 BlueTEC T-Model |
| 205.204 | C 220 BlueTEC T-Model |
| 205.208 | C 250 BlueTEC T-Model |
| 205.209 | C 250 BlueTEC 4MATIC T-Model |
| 205.212 | C 300 BlueTEC HYBRID T-Model |
| 205.240 | C 180 T-Model |
| 205.242 | C 200 T-Model |
| 205.245 | C 250 T-Model |
| 205.266 | C 400 4MATIC T-Model |
| 205.286 | Mercedes-AMG C 63 T-Model |
| 205.287 | Mercedes-AMG C 63 S T-Model |

LLP

[illegible]

Optional extras for the C-Class Estate

National Package

Not for Greece

National Standard

National Standard TAXI

Delta to NST

● available at extra charge ○ available at no extra charge ◐ annotations existing
S standard equipment - not available

Visibility Level C, R, W
Not Relevant for GR = -

C T-Modell

205.237 C 200 BlueTEC T-Modell

205.204 C 220 BlueTEC T-Modell

205.208 C 250 BlueTEC T-Modell

205.209 C 250 BlueTEC 4MATIC T-Modell

205.212 C 300 BlueTEC HYBRID T-Modell

205.240 C 180 T-Modell

205.242 C 200 T-Modell

| | |
|---------|----------------|
| 205 245 | C 250 T-Modell |
|---------|----------------|

205.266 C 400 4MATIC T-Modell

| | |
|---------|----------------------------|
| 205.286 | Mercedes-AMG C 63 T-Modell |
|---------|----------------------------|

| | |
|---------|------------------------------|
| 205 287 | Mercedes-AMG C 63 S T-Modell |
|---------|------------------------------|

1000000

[illegible]

Optional extras for the C-Class Estate

National Package

Not for Greece

National Standard

National Standard TAXI

Delta to NST

● available at extra charge ○ available at no extra charge ◐ annotations existing
S standard equipment - not available

| Code | Designation | | C | O | P | S | N | L | R | T | V | M | E | A | LLP |
|------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------|
| 913 | Preinstallation for air.con.for hot countries only for certain countries | | C | O | O | O | O | O | - | - | - | - | - | - | 0,00 |
| 916 | Fuel tank with increased capacity 66 l only for certain countries i.V.m. Code 12P/20P | | C | - | - | - | S | S | - | - | S | S | S | S | 0,00 52,50 |
| 919 | Cooling capacity - booster package | | C | O | O | O | O | O | O | O | O | O | O | O | 0,00 |
| 920 | Direct petrol injection with stratified charging only for certain countries NATIONAL STANDARD | | C | - | - | - | - | - | - | • | • | - | - | - | 0,00 |
| 922 | Reduced power version only for certain countries | | C | - | - | O | - | - | - | - | - | - | - | - | 0,00 |
| 927 | Emission control system with Euro 6 technology only for certain countries | | C | S | S | S | S | S | S | S | S | S | S | S | 0,00 |
| 931 | Tandem interior mirror only in conjunction with code U63 | | C | O | O | O | - | - | O | O | - | - | - | - | 0,00 |
| 934 | Emergency alarm for taxi/rental vehicle only in conjunction with code 965 | | C | • | • | • | • | • | • | • | • | • | - | - | 257,25 |
| 938 | Two-way radio switch and microphone only in conjunction with code 965+ 427 i.V.m. Code P06 + 427 i.V.m. Code P10 | | C | • | • | • | • | • | • | • | • | • | - | - | 157,50 |
| 965 | Preinstallation for hire car not in conjunction with Code P21 only fo LHD i.V.m. Code 450 | | C | - | - | • | • | • | • | • | • | • | - | - | 0,00 509,25 |
| 968 | COC document EU6 without registration certificate part II only for certain countries only in conjunction with code 927 | | R | O | O | O | O | O | O | O | O | O | O | O | 0,00 |
| 969 | COC document EU6 with registration certificate part II only for germany only in conjunction with code 927 | | - | O | O | O | O | O | O | O | O | O | O | O | 0,00 |
| 970 | Preparation for police vehicle not in conjunction with code 413 only for certain countries | | W | • | • | • | • | • | • | • | • | • | - | - | 656,25 |
| 974 | Preparation for fire service command vehicle not in conjunction with code 413 | | W | • | • | • | • | • | • | • | • | • | - | - | 656,25 |
| 975 | Preparation for emergency doctor vehicle not in conjunction with code 413 | | W | • | • | • | • | • | • | • | • | • | - | - | 656,25 |
| 981 | Omission of German log book and w/o GOP No. | | - | O | O | O | O | O | O | O | O | O | O | O | 0,00 |
| 986 | Identification no. (US-VIN) only for certain countries | | - | O | O | O | O | O | O | O | O | O | O | O | 0,00 |
| 989 | Identification label under windshield only for certain countries | | R | O | O | O | O | O | O | O | O | O | O | O | 0,00 |
| 997 | Exhibition vehicle only for certain countries | | - | O | O | O | O | O | O | O | O | O | O | O | 0,00 |
| B03 | ECO start/stop function | | C | S | S | S | S | S | - | S | S | S | S | S | 0,00 |
| B06 | 19" silver-painted brake callipers only in conjunction with code P90 | Δαγκάνες φρένων [19"] σε γκρι χρώμα | C | - | - | - | - | - | - | - | - | - | S | - | 0,00 |
| B07 | AMG high-performance ceramic composite braking system only in conjunction with code 662/770/785/793 | Κεραμικό σύστημα πέδησης AMG high-performance | C | - | - | - | - | - | - | - | - | - | • | - | 4410,00 |
| B08 | Fanfares for Asia only for certain countries | | - | O | O | O | O | O | O | O | O | O | O | O | 0,00 |
| B12 | Tyre-change toolkit only for certain countries | | C | O | O | O | O | O | O | O | O | O | O | O | 0,00 |
| B16 | Tailpipe Trim only in conjunction with code P15 or P23 | Απόληξη εξάτμισης | C | - | - | - | - | - | - | O | O | O | - | - | 0,00 |

Optional extras for the C-Class Estate

National Package

Not for Greece

National Standard

National Standard TAXI

Delta to NST

● available at extra charge ○ available at no extra charge ◐ annotations existing
S standard equipment - not available

Visibility Level C, R, W
Not Relevant for GR = -

C T-Modell

205.237 C 200 BlueTEC T-Modell

2015 C 220 BLUE TEC T Modell

[illegible]

205.208 C 250 BlueTEC T-Modell

205.209 C 250 BlueTEC 4MATIC T-Modell

205.212 C 300 BlueTEC HYBRID T-Modell

205.240 C 180 T-Modell

| | |
|----------|----------------|
| 200E 212 | C 200 T Modell |
| 200E 213 | C 200 T Modell |

C 200 I-Modell

205,245 C 250 T-Modell

205.266 C 400 4MATIC T-Modell

| | |
|---------|----------------------------|
| 205.286 | Mercedes-AMG C 63 T-Modell |
|---------|----------------------------|

| | |
|---------|------------------------------|
| 205 287 | Mercedes-AMG C 63 S T-Modell |
|---------|------------------------------|

[illegible]

| Code | Designation | | C | O | N | A | S | P | U | V | W | X | Y | Z | LLP | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------|---------|---------|---------|------|
| B24 | remote control for auxiliary heater only for certain countries only in conjunction with code 228 | | C | O | N | A | S | P | U | V | W | X | Y | Z | 0,00 | | | | |
| B28 | AMG Carbon Package Exterior II mirror housing in carbon in conj. with code P60, then A-Wing/insert outer sills will be carbon. | Εξωτερικό πακέτο AMG ανθρακονημάτων | C | - | - | - | - | - | - | - | - | - | - | • | • | 1260,00 | | | |
| B51 | TIREFIT with tyre inflation compressor only for certain countries i.V.m. Code 06U i.V.m. Code 1P5 | | C | O | N | A | S | P | U | V | W | X | Y | Z | 0,00 | 52,50 | 0,00 | | |
| B54 | Live Traffic Information only for certain countries only in conjunction with code 531 | | C | O | N | A | S | P | U | V | W | X | Y | Z | 0,00 | | | | |
| B59 | AGILITY SELECT switch DYNAMIC SELECT switch in conjunction with code 427, 483, P31 | DYNAMIC SELECT switch | C | - | - | - | O | O | O | - | - | O | O | - | - | 0,00 | 105,00 | 0,00 | 0,00 |
| E25 | Driving School package only in conjunction code U63 | | C | O | O | O | - | - | - | O | O | - | - | - | - | 0,00 | | | |
| E76 | Spare wheel only for certain countries only in conjunction with code 690+B12 | | C | O | O | O | O | O | O | O | O | O | O | O | O | 0,00 | | | |
| H07 | dark brown glossy linden wood trim not in conjunction with code P75 in conjunction with code P22 i.V.m. P14/P29/P86 U 427 | | C | • | • | • | • | • | • | • | • | • | • | • | • | 252,00 | 147,00 | 304,50 | |
| H09 | brown open-pore ash wood trim only in conjunction with code P22 | | C | • | • | • | • | • | • | • | • | • | • | - | - | 199,50 | | | |
| H24 | dark brown glossy linden wood trim only in conjunction with code P22 | | C | O | O | O | O | O | O | O | O | O | O | - | - | 0,00 | | | |
| H69 | AMG trim parts in carbon red pepper / Aluminium only in conjunction with code P97+246 | Διάκοσμος εσωτερικού AMG ανθρακονημάτων "red pepper" / αλουμινίου | C | - | - | - | - | - | - | - | - | - | - | O | O | 0,00 | | | |
| H73 | AMG trim parts in carbon / Aluminium only in conjunction with code 427, 246 iVm. Code P14/P22/P29/P86 | Διάκοσμος εσωτερικού ανθρακονημάτων / αλουμινίου | C | • | • | • | • | • | • | • | • | • | • | - | - | 997,50 | 945,00 | | |
| H80 | black piano-lacquer look trim only in conjunction with code P75 | | C | O | O | O | O | O | O | O | O | O | O | - | - | 0,00 | | | |
| K08 | Radio frequencies for South America only for certain countries | | C | O | O | O | O | O | O | O | O | O | O | O | O | 0,00 | | | |
| K11 | Adaptive brake light, flashing only for certain countries | | C | S | S | S | S | S | S | S | S | S | S | S | S | 0,00 | | | |
| K99 | Multi-purpose vehicle only in conjunction with code 96 or 969 | | C | - | - | O | O | - | O | O | - | - | - | - | - | 0,00 | | | |
| R00 | 40.6 cm (16-inch) steel wheels with 10-hole trim not in conjunction with code R66 available as of approx. 1st Quarter 2015 | | C | S | - | - | - | - | - | S | - | - | - | - | - | 0,00 | | | |
| R01 | Summer tyres | | C | S | S | S | S | S | S | S | S | S | S | S | S | 0,00 | | | |
| R02 | All season tyres | | C | - | - | - | - | O | - | - | - | - | - | - | - | 0,00 | | | |
| R03 | Taygeta light-alloy wheels 40.6 cm (16") | | C | - | - | - | - | - | - | - | - | - | - | - | O | 0,00 | | | |
| R04 | 43.2 cm (17-inch) 5-spoke light-alloy wheels only in conjunction with code P55 + P15 | Ζάντες αλουμινίου [17"] 43.2cm, 5 ακτινών | C | O | O | O | O | O | O | O | O | O | O | - | - | 0,00 | | | |
| R11 | 43.2 cm (17") 5-twin-spoke light-alloy wheel only for certain countries only in conjunction with code P15, P23, P76 in conjuncton with code P15, P23 | | C | • | - | • | - | • | - | • | - | • | - | - | - | 1417,50 | 892,50 | | |
| R17 | 48.3 cm (19-inch) 5-twin-spoke light-alloy wheels including code R66 not in conjunction with code P31 only for certain countries i.V.m. Code P15/P23 i.V.m. Code P88 | | C | - | • | • | • | • | • | • | - | • | • | - | - | 157,50 | 2310,00 | 2835,00 | |
| | | | | • | - | - | - | - | - | • | - | - | - | - | - | | | | |
| | | | | • | • | • | • | • | • | • | • | • | • | - | - | 1575,00 | 0,00 | | |
| | | | | O | O | O | O | O | O | O | O | O | O | - | - | | | | |

Optional extras for the C-Class Estate

National Package

Not for Greece

National Standard

National Standard TAXI

Delta to NST

● available at extra charge ○ available at no extra charge ◐ annotations existing
S standard equipment - not available

Visibility Level C, R, W
Not Relevant for GR = -

C T-Modell

37 C 200 BlueTEC T-Modell

04 C 220 BlueTECT Modell

| | C ZZO Blue I EC I-Mobell |
|----|--------------------------|
| 04 | |

08 C 250 BlueTEC T-Modell

009 C 250 BlueTEC 4MATIC T-Modell

C 300 BlueTEC HYBRID T-Modell

40 C 180 T-Modell

| | |
|----|----------------|
| 42 | C 100 T Modell |
| 43 | C 200 T Modell |

| | |
|----|----------------|
| 42 | C 200 I-Modell |
|----|----------------|

45 C 250 T-Modell

366 C 400 4MATIC T-Modell

| | |
|----|----------------------------|
| 86 | Mercedes-AMG C 63 T-Modell |
|----|----------------------------|

| | |
|----|------------------------------|
| 87 | Mercedes-AMG C 63 S T-Modell |
|----|------------------------------|

[illegible][illegible]

Optional extras for the C-Class Estate

Delta to NST

Visibility Level C, R, W
Not Relevant for GR = -

205.237 C 200 BlueTEC T-Modell

205 204 C 220 BlueTEC T-Modell

| | |
|---------|------------------------|
| 00E 208 | C 2E0 B110TEC T Modell |
|---------|------------------------|

[illegible]

EU3.209 C 230 BLUE TEC 4MATIC I-Modell

C 300 BLUE TEC HYBRID I-Modell

205.240 C 180 I-Modell

2005.242 C 200 T-Modell

05.245 C 250 T-Modell

205.266 C 400 4MATIC T-Modell

05.286 Mercedes-AMG C 63 T-Modell

205.287 Mercedes-AMG C 63 S T-Modell

[illegible]