



## Valid from 15.04.2016 Export / 15.04.2016 Germanyv

Not for Greece

● available at extra charge   ○ available at no extra charge   U annotations existing  
S standard equipment   - not available

not available any more mail 25/9

[illegible]



## Valid from 15.04.2016 Export / 15.04.2016 Germanyv

Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
\$ standard equipment    - not available

not available any more mail 25/9

Optional extras for the C-Class		Not available any more mail 25/9	
Valid from 15.04.2016 Export / 15.04.2016 Germany			
<div>National Standard</div> <div>Not for Greece</div>			
● available at extra charge    ◌ available at no extra charge    ⓘ annotations existing S standard equipment    - not available			
Code		Variability Level C - R - W Not Relevant for GR = -	
		C - Limousine	C - T-Modell
P44	<b>Parking-Package</b> including activ Park-Assistant and PARKTRONIC with rearview camera  Only in conjunction with Code 522, 531 (and P49 in conji. With code 501) <i>i.V.m. Paket (12P/20P)+501</i> <i>i.V.m. Paket 12P/20P</i>	C 180 d C 200 d <i>C 250 d</i> C 220 d C 220 d 4MATIC C 250 d C 250 d 4MATIC C 300 h C 160 C 180 C 200 C 200 4MATIC C 250 C 300 C 350 e C 400 4MATIC Mercedes-AMG C 43 4MATIC Mercedes-AMG C 63 Mercedes-AMG C 63 S C 180 T-Modell C 200 d T-Modell C 200 d T-Modell C 220 d T-Modell C 220 d 4MATIC T-Modell C 250 d T-Modell C 250 d 4MATIC T-Modell C 300 h T-Modell C 160 T-Modell C 180 T-Modell C 200 T-Modell C 200 4MATIC T-Modell C 250 T-Modell C 300 T-Modell C 350 e T-Modell C 400 4MATIC T-Modell Mercedes-AMG C 43 4MATIC (T-Mod.) Mercedes-AMG C 63 T-Modell Mercedes-AMG C 63 S T-Modell	LLP 1081,50  1417,50 651,00 315,00 472,50 0,00 420,00 210,00 472,50 1968,75  787,50 787,50 577,50 0,00 3097,50 3622,50 210,00 0,00 0,00 0,00 0,00 0,00 0,00 588,00 504,00 945,00 861,00
P49	<b>Mirror package</b> <b>NATIONAL STANDARD (only for AMG)</b> including code 249 and 500		
P54	<b>Anti-Theft Protection package</b> including code 551 and 882		
P55	<b>Nicht package</b> in conjunction with code P15 inclusive R04 in conjunction with code P31 inclusive 792 in conjunction with code P31 inclusive code 661 <i>i.V.m. Code 840</i>		
P56	<b>Driving school package</b> including code U63 not in conjunction with code 463, 840 only in conjunction with code 425, 931		
P60	<b>AMG Night package</b> <i>i.V.m. Code 773 und 840</i> <i>i.V.m. Code 773 und nicht 840</i> <i>i.V.m. Code incl. Code 840</i>		
P62	<b>designo two-tone interior in platinum white pearl / black</b> only in conjunction with code 873 or 401, 427, 421, 287, P65 not in conjunction with basic line code P75 <b>in conjunction with code P14, P29</b>		
P65	<b>Seat Comfort-Package</b> including code u22 not in conjunction with code 275, 241/242 only for certain countries <i>i.V.m. Code 555</i> <i>i.V.m. Paket 12P/20P/P91</i>		
P75	<b>Standard equipment interior</b> including code 001A / 018A, H80, 58U		
P76	<b>Standard equipment exterior</b>  including code 485 / 677/ R00 / 39R / 55R+R05 / 68R/25R		
P86	<b>Mercedes-AMG Interior C 63</b> including code 611A/621A, 739, 876, U10, U25, Y04 (AMG C 63 S) not in conjunction with code 289, 443	Γραμμή Εσωτερικού AMG	0,00
P87	<b>designo interior in saddle brown / black</b>  only in conjunction with code P14, P22, P29 and 427, 421 <b>in conjuntin with code P14, P29</b>		3097,50
P90	<b>Mercedes-AMG Exterior C 63</b> including code 467/471, 488, 345, B06/B07, U47 not in conjunction with code 213, 414, U60, 228	Γραμμή Εξωτερικού AMG	3622,50 0,00
P91	<b>Ambient-Package</b> including code P65, 877, 851 <b>in conjunction with code 463</b>  only in conjunction with code 427, 421 <b>not in conjunction with code P75, PAE</b>		
PAE	<b>Sound-Comfort-Package</b> including code 810, 851  not in conjunction with code P91  <b>in conjunction with code 463</b>		

## Valid from 15.04.2016 Export / 15.04.2016 Germanyv

Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
\$ standard equipment    - not available

not available any more mail 25/9

[illegible]

## Valid from 15.04.2016 Export / 15.04.2016 Germanyv

Not for Greece

● available at extra charge   ○ available at no extra charge   U annotations existing  
S standard equipment   - not available

not available any more mail 25/9

[illegible]

## Valid from 15.04.2016 Export / 15.04.2016 Germany

Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
\$ standard equipment    - not available

not available any more mail 25/9

[illegible]

## Valid from 15.04.2016 Export / 15.04.2016 Germany

Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
\$ standard equipment    - not available

not available any more mail 25/9

[illegible]



## Valid from 15.04.2016 Export / 15.04.2016 Germanyv

Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
\$ standard equipment    - not available

not available any more mail 25/9

[illegible]

## Valid from 15.04.2016 Export / 15.04.2016 Germanyv

Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
\$ standard equipment    - not available

not available any more mail 25/9

Optional extras for the C-Class

Valid from 15.04.2016 Export / 15.04.2016 Germany

National Standard

Not for Greece

● available at extra charge

○ available at no extra charge

U annotations existing

S standard equipment

- not available

Code		Viscosity Level C, R, W Not Relevant for GR e	C - Limousine												C - T-Modell												LLP																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	Including code: 965, 837, 334, 336, 131A, 670 only in conjunction with code U10 i.V.m. Code P10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

## Valid from 15.04.2016 Export / 15.04.2016 Germany

Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
\$ standard equipment    - not available

not available any more mail 25/9

[illegible]

**Valid from 15.04.2016 Export / 15.04.2016 Germany**

Not for Greece

**not available any more mail 25/9**

Optional extras for the C-Class		Valid from 15.04.2016 Export / 15.04.2016 Germany		not available any more mail 25/9	
		National Standard		Not for Greece	
		● available at extra charge    ○ available at no extra charge    U annotations existing		S standard equipment    - not available	
Code		Visibility Level C, R, W Not Relevant for GR + -		C - Limousine	
				C - T-Modell	
				LLP	
only in conjunction with upholstery code 001, 018, 101, 118, 128, 131, 201, 218, 221, 248, 301, 318, 601, 628					
5R5	complete winter tyre 10-spoke light-alloy wheels 16"	C	●	●	1207.50
5U3	AIRPANEL (Radiator grille with adaptive closing function)	C	●	●	0.00
not in conjunction with code 233, 239 only in conjunction with code P23.					
5U4	Diamond grille	C	●	●	105.00
604	AMG twin-spoke wheels, 19", with mixed-size tyres	C	●	●	0.00
605	AMG multi-spoke wheels, 19", with mixed-size tyres	C	●	●	997.50
606	48.3 cm (19") AMG light-alloy wheels multi-spoke design	C	●	●	787.50
608	Adaptive Main Beam Assist only for certain countries only in conjunction with code 640, 631, 632 i.V.m. Code 631/632	C	●	●	787.50
611	Ambient lighting only in conjunction with P49	C	○	○	105.00
613	Halogen headlamps incl. integrated LED daytime running light for RHD vehicles	C	○	○	189.00
620	Halogen headlamps incl. integrated LED daytime running light for LHD vehicles	C	S	S	0.00
623	Gulf States version	-	-	-	0.00
625	Australia specification	-	-	-	157.50
628	Adaptive Highbeam Assist Plus only for certain countries only in conjunction with code 641, 642	C	●	●	0.00
631	Headlamps, LED, static, left-side traffic	W	-	-	105.00
632	Headlamps, LED, static, right-side traffic	C	-	-	0.00
i.V.m. Paket 20P					
634	Omission of first-aid kit	W	○	○	908.25
636	Omission of warning triangle	W	○	○	908.25
640	Headlamps, LED, dynamic, SAE, right-side traffic	C	-	-	0.00
641	LED Intelligent Light System for left-hand traffic	W	●	●	0.00
642	LED Intelligent Light System for right-hand traffic	C	-	-	1506.75
i.V.m. Paket 20P					
644	48.3 cm (19-inch) AMG 5-twin-spoke light-alloy wheels	C	-	-	1522.50
645	M+S winter tyres, set of 4 only in conjunction with code 08R, 22R, 25R, 39R, 55R, 68R, R11, R24, R32, R48, 80R, 782, R04, R35, R52, R81, 56R, 792	C	●	●	614.25
651	Winter complete wheels fitted only for Germany only in conjunction with code 3R7, 4R9, 1R5, 2R8	-	○	○	1522.50
652	Summer complete tyres fitted only for Germany only in conjunction with code 3R7, 4R9, 1R5, 2R8	-	○	○	614.25
661	45.7 cm (18-inch) AMG 5-spoke light-alloy wheels	C	-	-	1522.50
662	48.3 cm (19-inch) AMG cross-spoke light-alloy wheels	C	-	-	614.25
not in conjunction with code R66 only for certain countries only in conjunction with code R01, R03					
665	48.3 cm (19-inch) AMG multi-spoke light-alloy wheels	C	-	-	614.25
including code R66 only for certain countries only in conjunction with code P15, P23, P31, P76, 475					

## Valid from 15.04.2016 Export / 15.04.2016 Germanyv

Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
\$ standard equipment    - not available

not available any more mail 25/9

[illegible]

## Valid from 15.04.2016 Export / 15.04.2016 Germany

Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
\$ standard equipment    - not available

not available any more mail 25/9

[illegible]

## Valid from 15.04.2016 Export / 15.04.2016 Germany

Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
\$ standard equipment    - not available

[illegible]

## Valid from 15.04.2016 Export / 15.04.2016 Germany

Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
\$ standard equipment    - not available

not available any more mail 25/9

[illegible]



## Valid from 15.04.2016 Export / 15.04.2016 Germanyv

Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
\$ standard equipment    - not available

not available any more mail 25/9

[illegible]

## Valid from 15.04.2016 Export / 15.04.2016 Germanyv

Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
\$ standard equipment    - not available

not available any more mail 25/9

National Standard

Not for Greece

●

available at extra charge

○

Available at no extra charge

ⓘ

Annotations existing

S

standard equipment

-

not available

Code

K08

Radio frequencies for South America

only for certain countries

K11

Adaptive brake lights

only for certain countries

R00

40.6 cm (16-inch) steel wheels with 10-hole trim

Χαλύβδινες ζάντες [16"] 40.6cm, σχεδίασης 10 σπών

R01

Summer tyres

not in conjunction with code 55R

R02

All season tyres

R03

Sports tyres

only for certain countries

only in conjunction with code 662, 770, 785, 793

R04

43.2 cm (17-inch) 5-spoke light-alloy wheels

only in conjunction with code P55 + P15

R05

Summer tyres, optimised rolling resistance

only in conjunction with code 55R

only for certain countries

R11

43.2 cm (17-inch) 5-twin-spoke light-alloy wheels

only available in conjunction with code 645

only for certain countries

only in conjunction with code P15, P23, P76, R01

in conjunction with code P15, P23

R17

48.3 cm (19-inch) 5-twin-spoke light-alloy wheels

including code R66

not in conjunction with code P31

only for certain countries

i.V.m. Code P15/P23

R24

43.2 cm (17-inch) 5-spoke light-alloy wheels

only available in conjunction with code 645

only for certain countries

only in conjunction with code P15, P23, P76 + R01

in conjunction with code P15, P23

R32

45.7 cm (18-inch) 5-spoke light-alloy wheels

only for certain countries

only in conjunction with code P15, P23, P76 + R01

in conjunction with code P15, P23

R34

45.7 cm (18-inch) multi-spoke light-alloy wheels

only for certain countries

R35

43.2 cm (17-inch) 10-spoke light-alloy wheels

not in conjunction with code P31

only for certain countries

i.V.m. Code P15, P23

R48

43.2 cm (17-inch) 5-twin-spoke light-alloy wheels

only in conjunction with code 645

only in conjunction with code P15

R52

5-twin spoke alloy wheels 43.2 cm (17")

Visiblity Level C, R, W

Not Relevant for GR = -

205.036

C 180 d

205.037

C 200 d

205.037

C 200 d

205.044

C 220 d

205.005

C 220 d 4MATIC

205.008

C 250 d

205.009

C 250 d 4MATIC

205.012

C 300 h

205.044

C 160

205.040

C 180

205.042

C 200

205.043

C 200 4MATIC

205.045

C 250

205.048

C 300

205.047

C 350 e

205.066

C 400 4MATIC

205.064

Mercedes-AMG C 63 4MATIC

205.086

Mercedes-AMG C 63

205.087

Mercedes-AMG C 63 S

205.236

C 180 d T-Modell

205.237

C 200 d T-Modell

205.207

C 200 d T-Modell

205.204

C 220 d T-Modell

205.205

C 220 d 4MATIC T-Modell

205.208

C 250 d T-Modell

205.209

C 250 d 4MATIC T-Modell

205.212

C 300 T-Modell

205.244

C 160 T-Modell

205.240

C 180 T-Modell

205.242

C 200 T-Modell

205.243

C 200 4MATIC T-Modell

205.245

C 250 T-Modell

205.248

C 300 T-Modell

205.247

C 350 e T-Modell

205.266

C 400 4MATIC T-Modell

205.264

Mercedes-AMG C 63 4MATIC (T-Mod.)

205.286

Mercedes-AMG C 63 T-Modell

205.287

Mercedes-AMG C 63 S T-Modell

</

## Valid from 15.04.2016 Export / 15.04.2016 Germany

Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
\$ standard equipment    - not available

not available any more mail 25/9

Optional extras for the C-Class			not available any more max 25/9	
Valid from 15.04.2016 Export / 15.04.2016 Germany				
<div><div>National Standard</div><div>Not for Greece</div></div>				
● available at extra charge    ● available at no extra charge    ● annotations existing S standard equipment    - not available				
Code				
R66	Run-flat tyres only for certain countries not in conjunction with code R00, 55R, 39R in conjunction with code 4R9, 1R5 i.V.m. 19"-Räder, code R66			
R70	45.7 cm (18-inch) 5-twin-spoke light-alloy wheels only for certain countries	Ζάντες αλουμινίου [18"] 45.7cm, σχεδιασμός 5 διπλών ακτινών		
R81	43.2 cm (17-inch) 5-twin-spoke light-alloy wheels only in conjunction with code P15+P55			
R89	40.6 cm (16-inch) 10-spoke light-alloy wheels not in conjunction with code P31 only for certain countries			
R97	48.3 cm (19") 10-spoke light-alloy wheels including code R66 not in conjunction with code P31 only for certain countries i.V.m. Code P15/P23			
U01	Status display for rear seat belts in instrument cluster only for certain countries			
U03	Omission of side foil film in Edition 1 design only in conjunction with code			
U04	designo floor mats only for certain countries only in conjunction with code P62			
U10	Automatic front passenger airbag deactivation only in conjunction with code P14, P22, P29, P75 only for certain countries			
U12	Velour floor mats not in conjunction with code P29			
U17	Omission of coloured seat belts only in conjunction with code „851A, 811A, 821A, 241A, 641A			
U21	Sports-exhaust system	Sport - Σύστημα εξάτμισης		
U22	4-way lumbar support only in conjunction with code 221, 222, 241, 242, 275, P65			
U25	Door sill panels with "Mercedes-Benz" lettering, illuminated AMG front door pannels illuminated in LED light only in conjunction with code 877, P88, P86			
U26	Floor mats in black with "AMG" lettering only in conjunction with code P29, P86			
U09	Consisting of dashboard and door beltlines in ARTICO man-made leather black in conjunction with code P22, P62, P87			
U34	Consisting of dashboard and door beltlines in ARTICO man-made leather in black nappa look with contrasting topstitching in the appointment colour only in conjunction with nappa leather upholstery or designo			

## Valid from 15.04.2016 Export / 15.04.2016 Germany

Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
\$ standard equipment    - not available

not available any more mail 25/9

[illegible]

Optional extras for the C-Class  
Valid from 15.04.2016 Export / 15.04.2016 Germany

National Standard  
Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
S standard equipment    - not available

Code

Viability Level C, R, W Not Relevant for GR = -	
not available any more mail 25/9	
C - Limousine	
205.036	C 180 d
205.037	C 200 d
205.037	C 200 d
205.004	C 220 d
205.005	C 220 d 4MATIC
205.008	C 250 d
205.009	C 250 d 4MATIC
205.012	C 300 h
205.044	C 180
205.040	C 180
205.042	C 200
205.043	C 200 4MATIC
205.045	C 250
205.048	C 300
205.047	C 350 e
205.066	C 400 4MATIC
205.064	Mercedes-AMG C 43 4MATIC
205.086	Mercedes-AMG C 63
205.087	Mercedes-AMG C 63 S
205.236	C 180 d T-Modell
205.237	C 200 d T-Modell
205.207	C 200 d T-Modell
205.204	C 220 d T-Modell
205.205	C 220 d 4MATIC T-Modell
205.208	C 250 d T-Modell
205.209	C 250 d 4MATIC T-Modell
205.212	C 300 h T-Modell
205.244	C 180 T-Modell
205.240	C 180 T-Modell
205.242	C 200 T-Modell
205.243	C 200 4MATIC T-Modell
205.245	C 250 T-Modell
205.248	C 300 T-Modell
205.247	C 350 e T-Modell
205.286	C 400 4MATIC T-Modell
205.284	Mercedes-AMG C 43 4MATIC (T-Mod.)
205.286	Mercedes-AMG C 63 T-Modell
205.287	Mercedes-AMG C 63 S T-Modell
C - T-Modell	

LLP

Optional extras for the C-Class  
Valid from 15.04.2016 Export / 15.04.2016 Germany

National Standard  
Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
S standard equipment    - not available

Code

Viability Level C, R, W Not Relevant for GR = -	
C - Limousine	
205.036	C 180 d
205.037	C 200 d
205.037	C 200 d
205.004	C 220 d
205.005	C 220 d 4MATIC
205.008	C 250 d
205.009	C 250 d 4MATIC
205.012	C 300 h
205.044	C 180
205.040	C 180
205.042	C 200
205.043	C 200 4MATIC
205.045	C 250
205.048	C 300
205.047	C 350 e
205.066	C 400 4MATIC
205.064	Mercedes-AMG C 43 4MATIC
205.086	Mercedes-AMG C 63
205.087	Mercedes-AMG C 63 S
205.236	C 180 d T-Modell
205.237	C 200 d T-Modell
205.207	C 200 d T-Modell
205.204	C 220 d T-Modell
205.205	C 220 d 4MATIC T-Modell
205.208	C 250 d T-Modell
205.209	C 250 d 4MATIC T-Modell
205.212	C 300 h T-Modell
205.244	C 180 T-Modell
205.240	C 180 T-Modell
205.242	C 200 T-Modell
205.243	C 200 4MATIC T-Modell
205.245	C 250 T-Modell
205.248	C 300 T-Modell
205.247	C 350 e T-Modell
205.286	C 400 4MATIC T-Modell
205.284	Mercedes-AMG C 43 4MATIC (T-Mod.)
205.286	Mercedes-AMG C 63 T-Modell
205.287	Mercedes-AMG C 63 S T-Modell
C - T-Modell	

Optional extras for the C-Class  
Valid from 15.04.2016 Export / 15.04.2016 Germany

National Standard  
Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
S standard equipment    - not available

Code

Viability Level C, R, W Not Relevant for GR = -	
C - Limousine	
205.036	C 180 d
205.037	C 200 d
205.037	C 200 d
205.004	C 220 d
205.005	C 220 d 4MATIC
205.008	C 250 d
205.009	C 250 d 4MATIC
205.012	C 300 h
205.044	C 180
205.040	C 180
205.042	C 200
205.043	C 200 4MATIC
205.045	C 250
205.048	C 300
205.047	C 350 e
205.066	C 400 4MATIC
205.064	Mercedes-AMG C 43 4MATIC
205.086	Mercedes-AMG C 63
205.087	Mercedes-AMG C 63 S
205.236	C 180 d T-Modell
205.237	C 200 d T-Modell
205.207	C 200 d T-Modell
205.204	C 220 d T-Modell
205.205	C 220 d 4MATIC T-Modell
205.208	C 250 d T-Modell
205.209	C 250 d 4MATIC T-Modell
205.212	C 300 h T-Modell
205.244	C 180 T-Modell
205.240	C 180 T-Modell
205.242	C 200 T-Modell
205.243	C 200 4MATIC T-Modell
205.245	C 250 T-Modell
205.248	C 300 T-Modell
205.247	C 350 e T-Modell
205.286	C 400 4MATIC T-Modell
205.284	Mercedes-AMG C 43 4MATIC (T-Mod.)
205.286	Mercedes-AMG C 63 T-Modell
205.287	Mercedes-AMG C 63 S T-Modell
C - T-Modell	

LLP

Optional extras for the C-Class  
Valid from 15.04.2016 Export / 15.04.2016 Germany

National Standard  
Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
S standard equipment    - not available

Code

Viability Level C, R, W Not Relevant for GR = -	
not available any more mail 25/9	
C - Limousine	
205.036	C 180 d
205.037	C 200 d
205.037	C 200 d
205.004	C 220 d
205.005	C 220 d 4MATIC
205.008	C 250 d
205.009	C 250 d 4MATIC
205.012	C 300 h
205.044	C 180
205.040	C 180
205.042	C 200
205.043	C 200 4MATIC
205.045	C 250
205.048	C 300
205.047	C 350 e
205.066	C 400 4MATIC
205.064	Mercedes-AMG C 43 4MATIC
205.086	Mercedes-AMG C 63
205.087	Mercedes-AMG C 63 S
205.236	C 180 d T-Modell
205.237	C 200 d T-Modell
205.207	C 200 d T-Modell
205.204	C 220 d T-Modell
205.205	C 220 d 4MATIC T-Modell
205.208	C 250 d T-Modell
205.209	C 250 d 4MATIC T-Modell
205.212	C 300 h T-Modell
205.244	C 180 T-Modell
205.240	C 180 T-Modell
205.242	C 200 T-Modell
205.243	C 200 4MATIC T-Modell
205.245	C 250 T-Modell
205.248	C 300 T-Modell
205.247	C 350 e T-Modell
205.286	C 400 4MATIC T-Modell
205.284	Mercedes-AMG C 43 4MATIC (T-Mod.)
205.286	Mercedes-AMG C 63 T-Modell
205.287	Mercedes-AMG C 63 S T-Modell
C - T-Modell	

LLP



Optional extras for the C-Class  
Valid from 15.04.2016 Export / 15.04.2016 Germany

National Standard  
Not for Greece

● available at extra charge    ○ available at no extra charge    U annotations existing  
\$ standard equipment    - not available

Code	
------	--

Viability Level C, R, W Not Relevant for GR = -		not available any more mail 25/9	
		C - Limousine	C - T-Modell
205.036	C 180 d		
205.037	C 200 d		
205.037	C 200 d		
205.004	C 220 d		
205.005	C 220 d 4MATIC		
205.008	C 250 d		
205.009	C 250 d 4MATIC		
205.012	C 300 h		
205.044	C 180		
205.040	C 180		
205.042	C 200		
205.043	C 200 4MATIC		
205.045	C 250		
205.048	C 300		
205.047	C 350 e		
205.066	C 400 4MATIC		
205.064	Mercedes-AMG C 43 4MATIC		
205.086	Mercedes-AMG C 63		
205.087	Mercedes-AMG C 63 S		
205.236	C 180 d T-Modell		
205.237	C 200 d T-Modell		
205.207	C 200 d T-Modell		
205.204	C 220 d T-Modell		
205.205	C 220 d 4MATIC T-Modell		
205.208	C 250 d T-Modell		
205.209	C 250 d 4MATIC T-Modell		
205.212	C 300 h T-Modell		
205.244	C 180 T-Modell		
205.240	C 180 T-Modell		
205.242	C 200 T-Modell		
205.243	C 200 4MATIC T-Modell		
205.245	C 250 T-Modell		
205.248	C 300 T-Modell		
205.247	C 350 e T-Modell		
205.286	C 400 4MATIC T-Modell		
205.284	Mercedes-AMG C 43 4MATIC (T-Mod.)		
205.286	Mercedes-AMG C 63 T-Modell		
205.287	Mercedes-AMG C 63 S T-Modell		